



Installation de GLPI Agent sous Windows

1. Télécharger GLPI Agent 1.4 (ou plus récent)
<https://github.com/glpi-project/glpi-agent/releases>
2. Dans l'installeur de GLPI, choisir "Custom"



3. Décocher « Deploy » et faire « Next »



4. Entrer le nom du serveur complet: « <https://glpi.creapix.eu/front/inventory.php> » et décocher « Quick Installation »

GLPI Agent 1.4 Target Setup

Choose Targets
Choose where the result will be sent.

Local Target

Change...

Local path or UNC path

Remote Targets

You can set multiple URIs by separating them with commas
'https://server/glpi/front/inventory.php,...'

☐ Quick installation

Back Next Cancel

5. Cocher « Disable SSL check » et faire « Next »

GLPI Agent 1.4 Setup

Remote Targets SSL Options
Set SSL options.

SSL Options

CA Certificates Directory


CA Certificate File

Fingerprint of SSL certificate to trust

Disable SSL check (for security reason, only use it for debugging) ☐

Back Next Cancel

6. Faire « Next »



GLPI Agent 1.4 Setup

Remote Targets Proxy Options

Set Proxy options.

Proxy Options


Proxy server

Proxy server authentication user

Proxy server authentication password

Back Next Cancel

7. Cocher « Run inventory immediatly after installation »



GLPI Agent 1.4 Setup

Choose an Execution Mode

Choose which way you want to be executed.

Execution Mode

☒ As a Windows Service

☐ As a Windows Task


☐ Manually

☒ Run inventory immediatly after installation

☒ Respect the frequency of inventories specified by the server (recommended)


Back Next Cancel

8. Faire « Next »



The screenshot shows the 'HTTP Server Options' window of the GLPI Agent 1.4 Setup. The window has a blue header with the GLPI logo and the title 'HTTP Server Options'. Below the header, it says 'Set embedded HTTP server options.' The main area contains a group box 'Embedded HTTP Server Options' with three text input fields: 'IP' (containing '0.0.0.0'), 'Port' (containing '62354'), and 'Trusted IPs' (containing '127.0.0.1/32'). Below these fields are two checkboxes: 'Add exception on the Windows Firewall' and 'Enable embedded HTTP server', both of which are checked. At the bottom right, there are three buttons: 'Back', 'Next' (highlighted with a blue border), and 'Cancel'.

9. Dans « TAG » indiquer le nom du client en majuscule et sans espaces (ex : ATJV, PAINANTAN, IGEP, ...)



The screenshot shows the 'Miscellaneous Options' window of the GLPI Agent 1.4 Setup. The window has a blue header with the GLPI logo and the title 'Miscellaneous Options'. Below the header, it says 'Set preferences about miscellaneous options.' The main area contains a group box 'Miscellaneous Options' with a 'Tag' text input field, which is highlighted with a red rectangle. Below the 'Tag' field are three checkboxes: 'Scan home directory for virtual machines', 'Scan user profiles for software', and 'Save local inventory using JSON format'. The 'Save local inventory using JSON format' checkbox is checked. At the bottom right, there are three buttons: 'Back', 'Next' (highlighted with a blue border), and 'Cancel'.

10. Faire « Next », « Next » et installer le paquet

From:
<https://wiki.makeitsimple.be/> - makeITsimple wiki

Permanent link:
<https://wiki.makeitsimple.be/doku.php?id=deploiement:glpi:installwindows>

Last update: 2023/06/08 13:01



