

# Apache2: Whitelist & htpasswd

1. Créer un fichier password:

```
htpasswd -c /usr/local/apache/passwd/site-passwords vincent
```

2. Modifier le fichier de config apache2

```
nano /etc/apache2/sites-enabled/site.conf
```

```
<file apache site.conf> <IfModule mod_ssl.c> <VirtualHost *:443>
```

```
ServerName site.be
```

```
RewriteEngine on
```

```
ProxyPass / http://172.31.32.105/ nocanon  
ProxyPassReverse / http://172.31.32.105/
```

```
<proxy *>  
<RequireAny>  
  AuthType Basic  
  AuthName Documents  
  AuthBasicProvider file  
  AuthUserFile "/usr/local/apache/passwd/site-passwords"  
  Require valid-user  
  Require ip 1.2.3.4
```

```
</RequireAny>  
</proxy>
```

```
SSLCertificateFile /etc/letsencrypt/live/site/fullchain.pem SSLCertificateKeyFile  
/etc/letsencrypt/live/site/privkey.pem Include /etc/letsencrypt/options-ssl-apache.conf </VirtualHost>  
</IfModule></site>
```

From:  
<https://wiki.makeitsimple.be/> - **makeITsimple wiki**

Permanent link:  
<https://wiki.makeitsimple.be/doku.php?id=linux:apache:whitelisthtaccess&rev=1683041951>

Last update: **2023/05/02 15:39**

