

Go access

Install: `apt install build-essential libncursesw5-dev libgeoiip-dev ./configure --enable-utf8 --enable-geoiip=legacy --with-openssl`

`goaccess /var/log/apache2/access.log --log-format=VCOMBINED`

Version websocket: `/usr/local/bin/goaccess /var/log/apache2/access.log -o /var/www/matomo/report.html --log-format=VCOMBINED --real-os --all-static-files --agent-list --hl-header --restore --persist --db-path /var/run/goaccess --geoiip-database=/usr/share/GeoIP/GeoIP.dat`

Log apache:

```
LogFormat "%v:%p %h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\"" comonvhost
ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/access.log comonvhost
```

Sources

<https://github.com/allinurl/goaccess/issues/1406>

`/usr/local/bin/goaccess /var/log/apache2/access.log -o /var/www/matomo/report.html --log-format=VCOMBINED --real-os --all-static-files --agent-list --hl-header`

From:

<https://wiki.makeitsimple.be/> - **makeITsimple wiki**

Permanent link:

<https://wiki.makeitsimple.be/doku.php?id=linux:goaccess&rev=1633116650>

Last update: **2021/10/01 18:30**

