

# Go access

Install:

```
apt install build-essential libncursesw5-dev libgeoip-dev
./configure --enable-utf8 --enable-geoip=legacy --with-openssl
make
make install
```

```
goaccess /var/log/apache2/access.log -log-format=VCOMBINED
```

Version websocket:

```
/usr/local/bin/goaccess /var/log/apache2/access.log -o
/var/www/matomo/report.html --log-format=VCOMBINED --real-os --all-static-
files --agent-list --hl-header --restore --persist --db-path
/var/run/goaccess --geoip-database=/usr/share/GeoIP/GeoIPCity.dat --geoip-
database=/usr/share/GeoIP/GeoIPv6.dat
```

Log apache:

```
LogFormat "%v:%p %h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-
Agent}i\"" comonvhost
ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/access.log comonvhost
```

## Sources

<https://github.com/allinurl/goaccess/issues/1406>

```
/usr/local/bin/goaccess /var/log/apache2/access.log -o /var/www/matomo/report.html -log-
format=VCOMBINED -real-os -all-static-files -agent-list -hl-header
```

From:  
<https://wiki.makeitsimple.be/> - **makeITsimple wiki**

Permanent link:  
<https://wiki.makeitsimple.be/doku.php?id=linux:goaccess&rev=1634145546>

Last update: **2021/10/13 16:19**

