

Postfix, Dovecot, Sogo

Todo:

- Postfix: limiter les utilisateurs : /etc/postfix/sql/sql-relaydomains.cf
- Autoconfig
- Quotas
- backup

Postfix

1. Installer les paquets nécessaires:

```
apt update
apt-get install postfix postfix-mysql mariadb-server
```

Choisir Internet Site, définir le nom du serveur ainsi que l'adresse pour le postmaster.

2. Sécuriser l'installation maria-db

```
mysql_secure_installation
```

3. Vérifier la configuration Mysql:

1. Editer le fichier client

```
nano /etc/mysql/mariadb.conf.d/50-client.cnf
```

Il faut vérifier que la ligne suivante est présente

```
[client]
default-character-set          = utf8mb4
```

2. Editer le fichier mysql_client

```
nano /etc/mysql/mariadb.conf.d/50-mysql-client.cnf
```

Et vérifier si la configuration suivante est aussi définie:

```
[mysql]
default-character-set          = utf8mb4
```

3. Editer le fichier server

```
nano /etc/mysql/mariadb.conf.d/50-server.cnf
```

Et vérifier si la configuration suivante est aussi définie:

```
[mysqld]
character-set-client-handshake = FALSE
```

```
character-set-server      = utf8mb4
collation-server         = utf8mb4_unicode_ci
innodb_file_per_table    = TRUE
innodb_file_format       = barracuda
innodb_large_prefix      = TRUE
max_allowed_packet       = 128M
```

4. Ajouter root dans le groupe de postfix

```
adduser root postfix
```

5. Editer le fichier master.cf

```
nano /etc/postfix/master.cf
```

Modifier/ajouter les lignes suivantes:

```
submission inet n      -      y      -      -      smtpd
  -o syslog_name=postfix/submission
  -o smtpd_tls_security_level=encrypt
  -o smtpd_sasl_auth_enable=yes
#  -o smtpd_tls_auth_only=yes
  -o smtpd_reject_unlisted_recipient=no
  -o smtpd_sasl_type=dovecot
  -o smtpd_sasl_path=private/auth
#  -o smtpd_client_restrictions=$mua_client_restrictions
#  -o smtpd_helo_restrictions=$mua_helo_restrictions
#  -o smtpd_sender_restrictions=$mua_sender_restrictions
#  -o smtpd_recipient_restrictions=
#  -o smtpd_relay_restrictions=permit_sasl_authenticated,reject
  -o milter_macro_daemon_name=ORIGINATING
# Ancienne version LDA
#dovecot    unix      -      n      n      -      -      pipe
#  flags=DRhu user=vmail:vmail argv=/usr/lib/dovecot/deliver -f
#  ${sender} -d ${recipient}
```

6. Editer à présent le fichier main.cf

```
nano /etc/postfix/main.cf
```

Et veiller à ce que les lignes ressemblent à ceci:

```
myhostname = mail3.makeitsimple.be
mydomain = makeitsimple.be
myorigin = $myhostname
inet_interfaces = all
inet_protocols = all
mydestination = $myhostname, localhost.$mydomain, localhost
smtpd_recipient_restrictions = permit_mynetworks
reject_unauth_destination
```

```
smtpd_sender_restrictions = reject_unknown_sender_domain
home_mailbox = Maildir/

append_dot_mydomain = no
biff = no
config_directory = /etc/postfix
dovecot_destination_recipient_limit = 1
message_size_limit = 4194304
smtpd_tls_key_file = /etc/postfix/ssl/yourkey.key
smtpd_tls_cert_file = /etc/postfix/ssl/yourcertificate.crt
smtpd_use_tls=yes
smtpd_tls_session_cache_database = btree:${data_directory}/smtpd_scache

smtp_tls_key_file = /etc/postfix/ssl/yourkey.key
smtp_tls_cert_file = /etc/postfix/ssl/yourcertificate.crt
smtp_use_tls=yes
smtp_tls_session_cache_database = btree:${data_directory}/smtp_scache
smtp_tls_security_level=may
smtp_tls_note_starttls_offer = yes
smtp_tls_enforce_peername = no

smtpd_tls_security_level=may
#Transport LDA
#virtual_transport = dovecot
#Transport LMTP
virtual_transport = lmtp:unix:private/dovecot-lmtp
smtpd_sasl_type = dovecot
smtpd_sasl_path = private/auth

proxy_read_maps =
    proxy:unix:passwd.byname
    proxy:mysql:/etc/postfix/sql/sql-aliases.cf
    proxy:mysql:/etc/postfix/sql/sql-domains.cf
    proxy:mysql:/etc/postfix/sql/sql-domains-alias.cf
    proxy:mysql:/etc/postfix/sql/sql-mailboxes.cf
    proxy:mysql:/etc/postfix/sql/sql-relaydomains.cf
    proxy:mysql:/etc/postfix/sql/sql-transports.cf

virtual_mailbox_domains = proxy:mysql:/etc/postfix/sql/sql-domains.cf
virtual_alias_domains = proxy:mysql:/etc/postfix/sql/sql-domains-alias.cf
virtual_alias_maps =
    proxy:mysql:/etc/postfix/sql/sql-aliases.cf
    proxy:mysql:/etc/postfix/sql/sql-mailboxes.cf

relay_domains = proxy:mysql:/etc/postfix/sql/sql-relaydomains.cf
transport_maps = proxy:mysql:/etc/postfix/sql/sql-transports.cf
```

7. Créer un répertoire pour stocker les requêtes SQL de postfix

```
mkdir /etc/postfix/sql  
cd /etc/postfix/sql
```

8. Nous allons à présent créer plusieurs fichiers sql:

1. **nano** sql-aliases.cf

Contenu:

```
# Retourne la destination d'un alias  
user = posogodo-ro  
password = Password  
dbname = posogodo  
hosts = 127.0.0.1  
query = select destination from aliases a inner join domains b on  
a.t_domains = b.id where CONCAT(address, '@', b.domain) = '%s' and  
a.active=1 and b.active=1
```

2. **nano** sql-domains.cf

Contenu:

```
# Affiche les domaines autorisés  
user = posogodo-ro  
password = Password  
dbname = posogodo  
hosts = 127.0.0.1  
query = SELECT domain FROM domains WHERE domain='%s' AND type='0'  
AND active=1
```

3. **nano** sql-domains-alias.cf

Contenu:

```
# Affiche les domaines autorisés  
user = posogodo-ro  
password = Password  
dbname = posogodo  
hosts = 127.0.0.1  
query = select destination from aliases where address='%s' and  
active=1
```

4. **nano** sql-mailboxes.cf

Contenu:

```
# Retourne la destination d'un alias
```

```
user = posogodo-ro
password = Password
dbname = posogodo
hosts = 127.0.0.1
query = select concat(a.user,'@',b.domain) from mailboxes a inner
join domains b on a.t_domains = b.id where
CONCAT(a.user,'@',b.domain) = '%s' and a.active=1 and b.active=1
```

5. **nano** sql-relaydomains.cf

Contenu:

```
# # Retourne si un relay est autorisé
user = posogodo-ro
password = Password
dbname = posogodo
hosts = 127.0.0.1
query = select domain from domains where type in ('1','2','3') and
active =1 and domain='%s'
```

6. **nano** sql-transports.cf

Contenu:

```
# # # Retourne le transport à utiliser
user = posogodo-ro
password = Password
dbname = posogodo
hosts = 127.0.0.1
query = select destination from relay_transports a inner join
domains b on b.id = a.t_domains where b.domain='%s' and a.active =
1 and b.active = 1 and b.type in ('2','3')
```

9. Modifier les droits du répertoire

```
chown root:postfix /etc/postfix/sql -R
chmod 650 /etc/postfix/sql -R
```

10. Redémarrer postfix

```
systemctl restart postfix
```

Dovecot

Install & config

1. Installer les paquets

```
apt install dovecot-imapd dovecot-pop3d dovecot-mysql
```

2. Créer un groupe et un utilisateur vmail

```
groupadd -g 6000 vmail  
useradd -g vmail -u 6000 vmail -d /srv/vmail -m
```

3. Editer le fichier dovecot.conf

```
nano /etc/dovecot/dovecot.conf
```

Modifications à apporter:

```
listen = *, ::  
  
service stats {  
    unix_listener stats-reader {  
        user = vmail  
        group = vmail  
        mode = 0660  
    }  
  
    unix_listener stats-writer {  
        user = vmail  
        group = vmail  
        mode = 0660  
    }  
}
```

4. Editer le fichier auth-system

```
nano /etc/dovecot/conf.d/auth-system.conf.ext
```

Et commenter tout le fichier. Autrement ceci peut affecter la rapidité du serveur.

5. Editer le fichier auth

```
nano /etc/dovecot/conf.d/10-auth.conf
```

Contenu à modifier:

```
disable_plaintext_auth = yes  
auth_mechanisms = plain login  
!include auth-sql.conf.ext
```

6. Editer le fichier auth-sql-conf

```
nano /etc/dovecot/conf.d/auth-sql.conf.ext
```

Voici le contenu:

```
# %u – username
# %n – user part in user@domain, same as %u if there's no domain
# %d – domain part in user@domain, empty if there's no domain
# %h – home directory

passdb {
  driver = sql
  args = /etc/dovecot/dovecot-sql.conf.ext
}
userdb {
  driver = static    ## Don't forget to change this
  args = uid=vmail gid=vmail home=/srv/vmail/%d/%n/Maildir
}
```

7. Editer le fichier dovecot-sql.conf

```
nano /etc/dovecot/dovecot-sql.conf.ext
```

Et modifier ceci:

```
driver = mysql
connect = host=127.0.0.1 dbname=posogodo user=posogodo-ro
password=Password
default_pass_scheme = SHA512-CRYPT
password_query = SELECT concat(a.user,'@',b.`domain` ) as user,
password FROM posogodo.mailboxes a left join posogodo.domains b on
a.t_domains = b.id where a.active='1' and b.active='1' and
concat(a.user,'@',b.`domain` ) = '%u';
```

8. Editer le fichier 10-mail.conf

```
nano /etc/dovecot/conf.d/10-mail.conf
```

Contenu:

```
mail_location = maildir:/srv/vmail/%d/%n/Maildir
namespace inbox {
  inbox = yes
}
mail_privileged_group = mail
mbox_write_locks = fcntl
```

9. Editer le fichier 10-master

```
nano /etc/dovecot/conf.d/10-master.conf
```

Contenu:

```
service imap-login {
  inet_listener imap {
```

```
    port = 143
  }
  inet_listener imaps {
  }
}
service pop3-login {
  inet_listener pop3 {
    port = 110
  }
  inet_listener pop3s {
  }
}
service lmtp {
  unix_listener /var/spool/postfix/private/dovecot-lmtp {
    mode = 0600
    user = postfix
    group = postfix
  }
}
service auth {
  unix_listener /var/spool/postfix/private/auth {
    mode = 0666
    user = postfix
    group = postfix
  }
  unix_listener auth-userdb {
    mode = 0600
    user = vmail
  }
  user = dovecot
}
service auth-worker {
  user = vmail
}
service dict {
  unix_listener dict {
  }
}
}
```

10. Le fichier 10-ssl pour vos certificats:

```
nano /etc/dovecot/conf.d/10-ssl.conf
```

Contenu:

```
ssl = required
ssl_cert = </etc/letsencrypt/live/mail2.makeitsimple.be/fullchain.pem
ssl_key = </etc/letsencrypt/live/mail2.makeitsimple.be/privkey.pem
```

11. Et enfin le fichier mailbox:

```
nano /etc/dovecot/conf.d/15-mailboxes.conf
```

Contenu:

```
namespace inbox {
  # These mailboxes are widely used and could perhaps be created
  automatically:
  mailbox Drafts {
    auto = subscribe
    special_use = \Drafts
  }
  mailbox Spam {
    auto = subscribe
    autoexpunge = 60d
    special_use = \Junk
  }
  mailbox Trash {
    auto = subscribe
    autoexpunge = 60d
    special_use = \Trash
  }

  # For \Sent mailboxes there are two widely used names. We'll mark
  both of
  # them as \Sent. User typically deletes one of them if duplicates are
  created.
  mailbox Sent {
    auto = subscribe
    special_use = \Sent
  }
  mailbox "Sent Messages" {
    special_use = \Sent
  }

  # If you have a virtual "All messages" mailbox:
  #mailbox virtual/All {
  #  special_use = \All
  #  comment = All my messages
  #}

  # If you have a virtual "Flagged" mailbox:
  #mailbox virtual/Flagged {
  #  special_use = \Flagged
  #  comment = All my flagged messages
  #}
}
```

Sieve

1. Installer les paquets

```
apt install dovecot-sieve dovecot-managesieved
```

2. Editer le fichier 20-managesieve.conf

```
nano /etc/dovecot/conf.d/20-managesieve.conf
```

Et modifier le fichier de la sorte:

```
protocols = $protocols sieve

service managesieve-login {
  inet_listener sieve {
    port = 4190
  }
  service_count = 1

  process_min_avail = 0
  vsz_limit = 64M
}

protocol sieve {
  managesieve_max_line_length = 65536
  mail_max_userip_connections = 10
  managesieve_logout_format = bytes=%i/%o
  managesieve_implementation_string = Dovecot Pigeonhole
  managesieve_max_compile_errors = 5
}
```

3. Editer le fichier 90-sieve.conf

```
nano /etc/dovecot/conf.d/90-sieve.conf
```

et modifier le fichier

```
plugin {
  sieve= /srv/vmail/%d/%n/sieve/.dovecot.sieve
  sieve_dir = /srv/vmail/%d/%n/sieve
}
```

4. Editer le fichier 20-lmtp.conf

```
nano /etc/dovecot/conf.d/20-lmtp.conf
```

et rajouter **sieve** après \$mail_plugins

5. Editer le fichier 20-imap.conf

```
nano /etc/dovecot/conf.d/20-imap.conf
```

et rajouter **imap-sieve** après \$mail_plugins

6. Pour supporter Sieve dans SOGo, editer le fichier sogo.conf

```
nano /etc/sogo/sogo.conf
```

et rajouter les deux lignes suivantes:

```
NGImap4ConnectionStringSeparator = ".";  
SOGoSieveServer = "sieve://127.0.0.1:4190";
```

rspamd

Petite note sur rspamd:

- les configs ajoutées dans `local.d` remplacent tout un fichier de configuration.
- les configs ajoutées dans `override.d` remplacent juste les paramètres indiqués.

Installer rspamd

1. Installer les paquets:

```
apt install redis-server software-properties-common lsb-release
```

2. Ajouter la clé gpg du dépôt rspamd:

```
wget -O- https://rspamd.com/apt-stable/gpg.key | apt-key add -  
echo "deb http://rspamd.com/apt-stable/ $(lsb_release -cs) main" | tee  
-a /etc/apt/sources.list.d/rspamd.list
```

3. Mettre à jour & installer rspamd:

```
apt update  
apt install rspamd
```

4. Modification du port d'écoute:

```
nano /etc/rspamd/local.d/worker-normal.inc
```

Contenu

```
bind_socket = "127.0.0.1:11333";
```

5. Modification du port militer

```
nano /etc/rspamd/local.d/worker-proxy.inc
```

Contenu:

```
bind_socket = "127.0.0.1:11332";
milter = yes;
timeout = 120s;
upstream "local" {
    default = yes;
    self_scan = yes;
}
```

6. Nous allons à présent créer un code pour l'interface de gestion rspamd:

```
rspamadm pw --encrypt -p Password
```

Garder ce code pour l'étape suivante

7. Editer le fichier contenant le mot de passe:

```
nano /etc/rspamd/local.d/worker-controller.inc
```

Contenu:

```
password = "lecode-encrypté"
```

8. Editer le fichier classifieur-bayes:

```
nano /etc/rspamd/local.d/classifieur-bayes.conf
```

Contenu:

```
servers = "127.0.0.1";
backend = "redis";
autolearn = true;
```

9. Editer le fichier milter_headers:

```
nano /etc/rspamd/local.d/milter_headers.conf
```

Contenu:

```
extended_spam_headers = true;
skip_local = false;
skip_authenticated = false;
use = ["spam-header"];
routines {
    spam-header {
#       header = "X-Spam-Flag";
#       value = "Yes";
        header = "X-Spam";
        value = "Yes";
    }
}
```

```
}  
}
```

10. Redémarrer rspamd:

```
systemctl restart rspamd
```

11. Ajouter un reverse proxy dans nginx:

```
nano /etc/nginx/sites-enabled/default
```

Contenu:

```
location ^~ /rspamd/ {  
    proxy_pass http://127.0.0.1:11334/;  
    proxy_set_header Host $host;  
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;  
}
```

12. Dans 20-lmtp.conf, activer Sieve pour le lmtp

```
/etc/dovecot/conf.d/20-lmtp.conf
```

Contenu:

```
protocol lmtp {  
    # Space separated list of plugins to load (default is global  
    mail_plugins).  
    mail_plugins = $mail_plugins sieve  
}
```

13. Lier rspamd à postfix:

```
postconf smtpd_milters=inet:127.0.0.1:11332  
postconf non_smtpd_milters=inet:127.0.0.1:11332  
postconf milter_protocol=6  
postconf milter_mail_macros="i {mail_addr} {client_addr} {client_name}  
{auth_authen}"  
postconf -e "milter_default_action = accept"  
service postfix restart
```

14. Pour tester la config:

```
Pour tester la config  
rspamadm configtest  
rspamadm configdump
```

15. Nous allons mettre en place un filtre en dovecot pour déplacer les spams dans le bon dossier

```
nano /etc/dovecot/conf.d/90-sieve.conf
```

Rajouter

```
sieve_after = /etc/dovecot/sieve-after/
```

16. Créer le répertoire ainsi que le fichier avec la règle sieve:

```
mkdir /etc/dovecot/sieve-after  
nano /etc/dovecot/sieve-after/spam-to-folder.sieve
```

Contenu:

```
require ["fileinto","mailbox"];  
  
if header :contains "X-Spam" "Yes" {  
    fileinto :create "Junk";  
    stop;  
}
```

17. Compiler la règle:

```
sievec /etc/dovecot/sieve-after/spam-to-folder.sieve  
service dovecot restart
```

Signer DKIM

1. Créer un répertoire pour stocker les clés:

```
mkdir /var/lib/rspamd/dkim/
```

2. Créer un fichier dkim_signing

```
nano /etc/rspamd/local.d/dkim_signing.conf
```

Avec ceci:

```
# If false, messages with empty envelope from are not signed  
allow_envfrom_empty = true;  
  
# If true, envelope/header domain mismatch is ignored  
allow_hdrfrom_mismatch = false;  
  
# If true, multiple from headers are allowed (but only first is used)  
allow_hdrfrom_multiple = false;  
  
# If true, username does not need to contain matching domain  
allow_username_mismatch = false;  
  
# Default path to key, can include '$domain' and '$selector' variables  
path = "/var/lib/rspamd/dkim/$domain.$selector.key";  
  
# Default selector to use
```

```
selector = "dkim";

# If false, messages from authenticated users are not selected for
# signing
sign_authenticated = true;

# If false, messages from local networks are not selected for signing
sign_local = true;

# Map file of IP addresses/subnets to consider for signing
# sign_networks = "/some/file"; # or url

# Symbol to add when message is signed
symbol = "DKIM_SIGNED";

# Whether to fallback to global config
try_fallback = true;

# Domain to use for DKIM signing: can be "header" (MIME From),
# "envelope" (SMTP From) or "auth" (SMTP username)
use_domain = "header";

# Domain to use for DKIM signing when sender is in sign_networks
# ("header"/"envelope"/"auth")
#use_domain_sign_networks = "header";

# Domain to use for DKIM signing when sender is a local IP
# ("header"/"envelope"/"auth")
#use_domain_sign_local = "header";

# Whether to normalise domains to eSLD
use_esld = true;

# Whether to get keys from Redis
use_redis = false;

# Hash for DKIM keys in Redis
key_prefix = "DKIM_KEYS";

# map of domains -> names of selectors (since rspamd 1.5.3)
#selector_map = "/etc/rspamd/dkim_selectors.map";

# map of domains -> paths to keys (since rspamd 1.5.3)
#path_map = "/etc/rspamd/dkim_paths.map";

# If `true` get pubkey from DNS record and check if it matches private
# key
check_pubkey = false;
# Set to `false` if you want to skip signing if public and private keys
# mismatch
allow_pubkey_mismatch = true;
```

3. Créer une clé par domaine:

```
rspamadm dkim_keygen -s 'dkim' -b 2048 -d domaine.net -k  
/var/lib/rspamd/dkim/domaine.net.dkim.key > domaine.net.txt
```

Dans le fichier .txt vous trouverez la configuration à appliquer dans votre zone DNS avec le sous domaine dkim._domainkey

Apprentissage des spams dans dovecot

1. Installer le paquet

```
apt install dovecot-antispam
```

2. Editer le fichier 20-imap.conf

```
nano /etc/dovecot/conf.d/20-imap.conf
```

et rajouter **antispam** à la hauteur de mail_plugins.

3. Editer le fichier 90-plugin.conf

```
nano /etc/dovecot/conf.d/90-plugin.conf
```

Et ajouter les lignes suivantes:

```
antispam_backend = pipe  
antispam_spam    = Junk  
antispam_trash   = Trash  
antispam_mail_sendmail = /usr/local/bin/rspamc  
antispam_mail_spam    = learn_spam  
antispam_mail_notspam = learn_ham  
antispam_mail_sendmail_args = -h;localhost:11334;-P;password
```

Filtrer les virus

1. Installer les paquets clamav:

```
apt install clamav clamav-daemon
```

2. Vérifier qu'un cron tourne pour mettre à jour via freshclam

3. Editer le fichier de config

```
nano /etc/rspamd/local.d/antivirus.conf
```

Et mettre le code suivant:

```
clamav {
  # If set force this action if any virus is found (default unset: no
  action is forced)
  # action = "reject";
  # message = '${SCANNER}: virus found: "${VIRUS}";
  # Scan mime_parts seperately - otherwise the complete mail will be
  transferred to AV Scanner
  #attachments_only = true; # Before 1.8.1
  #scan_mime_parts = true; # After 1.8.1
  # Scanning Text is suitable for some av scanner databases (e.g.
  Sanesecurity)
  #scan_text_mime = false; # 1.8.1 +
  #scan_image_mime = false; # 1.8.1 +
  # If `max_size` is set, messages > n bytes in size are not scanned
  #max_size = 20000000;
  # symbol to add (add it to metric if you want non-zero weight)
  symbol = "CLAM_VIRUS";
  # type of scanner: "clamav", "fprot", "sophos" or "savapi"
  type = "clamav";
  # If set true, log message is emitted for clean messages
  #log_clean = false;
  # Prefix used for caching in Redis: scanner-specific defaults are
  used. If Redis is enabled and
  # multiple scanners of the same type are present, it is important to
  set prefix to something unique.
  #prefix = "rs_cl_";
  # For "savapi" you must also specify the following variable
  #product_id = 12345;
  # servers to query (if port is unspecified, scanner-specific default
  is used)
  # can be specified multiple times to pool servers
  # can be set to a path to a unix socket
  servers = "127.0.0.1:3310";
  # if `patterns` is specified virus name will be matched against
  provided regexes and the related
  # symbol will be yielded if a match is found. If no match is found,
  default symbol is yielded.
  patterns {
    # symbol_name = "pattern";
    JUST_EICAR = '^Eicar-Test-Signature$';
  }
  # In version 1.7.0+ patterns could be extended
  #patterns = {SANE_MAL = 'Sanesecurity\Malware\.*', CLAM_UNOFFICIAL =
  'UNOFFICIAL$'};
  # `whitelist` points to a map of IP addresses. Mail from these
  addresses is not scanned.
  whitelist = "/etc/rspamd/antivirus.wl";
}
```

SOGo

1. Installer la clé gpg du dépôt SOGo:

```
gpg --keyserver hkp://keys.gnupg.net --recv-key 0x810273C4  
gpg --armor --export 0x810273C4 | apt-key add -
```

2. Créer un dépôt

```
nano /etc/apt/sources.list.d/sogo.list
```

Avec le contenu:

```
# Commercial  
#deb  
https://<username>:<password>@packages.inverse.ca/SOGo/release/2/debian  
/ buster buster  
# Non-Commercial  
deb http://packages.inverse.ca/SOGo/nightly/5/debian/ buster buster
```

3. Rafraîchir les dépôts et installer SOGo

```
apt install sogo sogo-activesync memcached
```

4. Se connecter sur le serveur MySQL:

```
mysql -u root -p
```

et faire les commandes suivantes:

```
CREATE DATABASE sogo;  
CREATE USER 'sogo'@'localhost' IDENTIFIED BY 'Password';  
GRANT ALL privileges ON sogo.* TO 'sogo'@'localhost';  
USE posogodo;  
CREATE VIEW sogo.sogo_view AS SELECT concat(mailboxes.user, '@',  
domains.domain) AS c_uid, concat(mailboxes.user, '@', domains.domain) AS  
c_name, domains.domain AS c_domain, concat(mailboxes.user, '@',  
domains.domain) AS mail, CONCAT(firstname, ' ', lastname) AS c_cn,  
mailboxes.password AS c_password, mailboxes.sogo_kind AS c_kind,  
mailboxes.sogo_multibooking AS c_multibooking FROM mailboxes LEFT JOIN  
domains ON mailboxes.t_domains = domains.id WHERE mailboxes.active=1 &  
domains.active=1 AND mailboxes.sogo_active =1 ;
```

5. Editer le fichier sogo.conf:

```
nano /etc/sogo/sogo.conf
```

Et mettre un contenu similaire

```
{
```

```
/* ***** Main SGO configuration file
*****
*
*
* Since the content of this file is a dictionary in OpenStep plist
format, *
* the curly braces enclosing the body of the configuration are
mandatory. *
* See the Installation Guide for details on the format.
*
*
* C and C++ style comments are supported.
*
*
* This example configuration contains only a subset of all available
*
* configuration parameters. Please see the installation guide more
details. *
*
*
* ~sogo/GNUstep/Defaults/.GNUstepDefaults has precedence over this
file, *
* make sure to move it away to avoid unwanted parameter overrides.
*
*
*
*****
***/

/* Database configuration (mysql://, postgresql:// or oracle://) */
//SOGOProfileURL =
"postgresql://sogo:sogo@localhost:5432/sogo/sogo_user_profile";
//OCSFolderInfoURL =
"postgresql://sogo:sogo@localhost:5432/sogo/sogo_folder_info";
//OCSSessionsFolderURL =
"postgresql://sogo:sogo@localhost:5432/sogo/sogo_sessions_folder";

SOGOProfileURL =
"mysql://sogo:Password@127.0.0.1:3306/sogo/sogo_user_profile";
OCSFolderInfoURL =
"mysql://sogo:Password@127.0.0.1:3306/sogo/sogo_folder_info";
OCSSessionsFolderURL =
"mysql://sogo:Password@127.0.0.1:3306/sogo/sogo_sessions_folder";

/* Mail */
SOGODraftsFolderName = Drafts;
SOGOSentFolderName = Sent;
```

```
S0GoTrashFolderName = Trash;
S0GoJunkFolderName = Junk;
S0GoIMAPServer = "localhost";
//S0GoSieveServer = "sieve://127.0.0.1:4190";
S0GoSMTPServer = "smtp://127.0.0.1";
//S0GoMailDomain = acme.com;
S0GoMailingMechanism = smtp;
//S0GoForceExternalLoginWithEmail = NO;
//S0GoMailSpoolPath = /var/spool/sogo;
//Le paramètre suivant est important pour la génération de filtres
Sieve
//NGImap4ConnectionStringSeparator = ".";

/* Notifications */
//S0GoAppointmentSendEMailNotifications = NO;
//S0GoACLsSendEMailNotifications = NO;
//S0GoFoldersSendEMailNotifications = NO;

/* Authentication */
//S0GoPasswordChangeEnabled = YES;

/* LDAP authentication example */
//S0GoUserSources = (
// {
//     type = ldap;
//     CNFieldName = cn;
//     UIDFieldName = uid;
//     IDFieldName = uid; // first field of the DN for direct binds
//     bindFields = (uid, mail); // array of fields to use for
indirect binds
//     baseDN = "ou=users,dc=acme,dc=com";
//     bindDN = "uid=sogo,ou=users,dc=acme,dc=com";
//     bindPassword = qwerty;
//     canAuthenticate = YES;
//     displayName = "Shared Addresses";
//     hostname = "ldap://127.0.0.1:389";
//     id = public;
//     isAddressBook = YES;
// }
//);

/* LDAP AD/Samba4 example */
//S0GoUserSources = (
// {
//     type = ldap;
//     CNFieldName = cn;
//     UIDFieldName = sAMAccountName;
//     baseDN = "CN=users,dc=domain,dc=tld";
//     bindDN = "CN=sogo,CN=users,DC=domain,DC=tld";
//     bindFields = (sAMAccountName, mail);
```

```
// bindPassword = password;
// canAuthenticate = YES;
// displayName = "Public";
// hostname = "ldap://127.0.0.1:389";
// filter = "mail = '*'";
// id = directory;
// isAddressBook = YES;
// }
//));

/* SQL authentication example */
/* These database columns MUST be present in the view/table:
 *   c_uid - will be used for authentication - it's the username or
username@domain.tld)
 *   c_name - which can be identical to c_uid - will be used to
uniquely identify entries
 *   c_password - password of the user, plain-text, md5 or sha
encoded for now
 *   c_cn - the user's common name - such as "John Doe"
 *   mail - the user's mail address
 * See the installation guide for more details
 */
S0GoUserSources =
(
  {
    type = sql;
    id = directory;
    displayName = "Annuaire";
    viewURL = "mysql://sogo:Pasword@127.0.0.1:3306/sogo/sogo_view";
    canAuthenticate = YES;
    isAddressBook = YES;
    DomainFieldName = "c_domain";
    KindFieldName = "c_kind";
    MultipleBookingsFieldName = "c_multibooking";
    userPasswordAlgorithm = sha512-crypt;
  }
);
MySQL4Encoding = "utf8mb4";
/* Web Interface */
S0GoPageTitle = S0Go;
//S0GoVacationEnabled = YES;
//S0GoForwardEnabled = YES;
//S0GoSieveScriptsEnabled = YES;
//S0GoMailAuxiliaryUserAccountsEnabled = YES;
//S0GoTrustProxyAuthentication = NO;
//S0GoXSRFValidationEnabled = YES;

/* General - S0GoTimeZone *MUST* be defined */
S0GoLanguage = French;
S0GoTimeZone = Europe/Brussels;
```

```
S0GoCalendarDefaultRoles = (  
    PublicDAndTViewer,  
    ConfidentialDAndTViewer  
);  
//S0GoSuperUsernames = (sogo1, sogo2); // This is an array - keep the  
parens!  
//SxVMemLimit = 384;  
//W0PidFile = "/var/run/sogo/sogo.pid";  
S0GoMemcachedHost = "127.0.0.1";  
/* Debug */  
S0GoDebugRequests = YES;  
SoDebugBaseURL = YES;  
//ImapDebugEnabled = YES;  
//LDAPDebugEnabled = YES;  
//PGDebugEnabled = YES;  
//S0GoEASDebugEnabled = YES;  
MySQL4DebugEnabled = YES;  
//S0GoUIxDebugEnabled = YES;  
//W0DontZipResponse = YES;  
W0LogFile = /var/log/sogo/sogo.log;  
}
```

6. Editer nginx

```
nano /etc/nginx/sites-enabled/default
```

Voici un exemple de contenu

```
location ^~/S0Go  
{  
    proxy_pass 'http://127.0.0.1:20000';  
    proxy_redirect 'http://127.0.0.1:20000' default;  
    # forward user's IP address  
    proxy_set_header X-Real-IP $remote_addr;  
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;  
    proxy_set_header Host $host;  
    proxy_set_header x-webobjects-server-protocol HTTP/1.0;  
    proxy_set_header x-webobjects-remote-host 127.0.0.1;  
    proxy_set_header x-webobjects-server-name $server_name;  
    proxy_set_header x-webobjects-server-url $scheme://$host;  
    proxy_set_header x-webobjects-server-port $server_port;  
    proxy_connect_timeout 90;  
    proxy_send_timeout 90;  
    proxy_read_timeout 90;  
    proxy_buffer_size 4k;  
    proxy_buffers 4 32k;  
    proxy_busy_buffers_size 64k;  
    proxy_temp_file_write_size 64k;  
    break;  
}
```

```
location /S0Go.woa/WebServerResources/
{
    alias /usr/lib/GNUstep/S0Go/WebServerResources/;
    allow all;
    expires max;
}

location /S0Go/WebServerResources/
{
    alias /usr/lib/GNUstep/S0Go/WebServerResources/;
    allow all;
    expires max;
}

location (^/S0Go/so/ControlPanel/Products/([^/]*)/Resources/(.*)$)
{
    alias /usr/lib/GNUstep/S0Go/$1.S0Go/Resources/$2;
    expires max;
}

location
(^/S0Go/so/ControlPanel/Products/[^/]*UI/Resources/.*\.(jpg|png|gif|css
|js)$)
{
    alias /usr/lib/GNUstep/S0Go/$1.S0Go/Resources/$2;
    expires max;
}

location ^~ /Microsoft-Server-ActiveSync
{
    access_log /var/log/nginx/activesync.log;
    error_log /var/log/nginx/activesync-error.log;
    resolver localhost;
    proxy_connect_timeout 4000;
    proxy_send_timeout 4000;
    proxy_read_timeout 4000;
    proxy_buffers 64 256k;
    proxy_set_header Host $host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_pass
http://127.0.0.1:20000/S0Go/Microsoft-Server-ActiveSync;
    proxy_redirect
http://127.0.0.1:20000/S0Go/Microsoft-Server-ActiveSync /;
}
```

7. Redémarrer postfix & nginx:

```
service postfix restart
service sogo restart
```

Sources

- Postfix:
 - <https://computingforgeeks.com/setup-mail-server-on-centos-with-postfix-dovecot-mysql-roundcube/>
 - <https://www.linode.com/docs/email/postfix/email-with-postfix-dovecot-and-mysql/>
 - <https://computingforgeeks.com/setup-mail-server-on-centos-with-postfix-dovecot-mysql-roundcube/>
- Dovecot:
 - <https://kaworu.ch/blog/2014/03/25/dovecot-antispam-with-rspamd/>
- Rspamd:
 - <https://workaround.org/ispmail/stretch/filtering-out-spam-with-rspamd>
 - <https://blog.debugo.fr/serveur-messagerie-rspamd/>
 - <https://github.com/rspamd/rspamd/issues/3078>
- Sogo:
 - <https://forum.iredmail.org/topic10132-iredmail-support-a-lof-of-error-such-as-no-child-available-to-handle-incoming-request.html>
 - <https://forum.iredmail.org/topic10785-iredmail-support-sogo-problem-with-activesync-outlook-2016.html>
 - <https://www.mail-archive.com/users@sogo.nu/msg28614.html>
 - <https://marc.info/?l=sogo-users&m=145570889316335&w=2>
 - <https://forum.zentyal.org/index.php?topic=33233.0>

From:
<https://wiki.makeitsimple.be/> - **makeITsimple wiki**

Permanent link:
https://wiki.makeitsimple.be/doku.php?id=linux_mail_postfix_dovecot_sogo&rev=1614014541

Last update: **2021/06/20 09:42**

