

# Product template work in progress

```

<?xml version="1.0"?>
<data inherit_id="website_sale.product" active="True" name="Delivery time">
    <xpath expr="//div[@id='o_product_terms_and_share']"
position="after">
        <div itemscope="itemscope" itemtype="http://schema.org/Product"
id="wrap" class="js_sale">
            <section t-attf-class="container py-4 oe_website_sale #{'discount'
if combination_info['has_discounted_price'] else ''}" id="product_detail" t-
att-data-view-track="view_track and '1' or '0'" t-att-data-product-tracking-
info="json.dumps(request.env['product.template'].get_google_analytics_data(c
ombination_info))">

                <div id="o-carousel-product" class="carousel slide position-
sticky mb-3 overflow-hidden" data-ride="carousel" data-interval="0" t-att-
data-name="product_carousel_block_name">
                    <t t-set="product_images" t-value="product_variant._get_images()
if product_variant else product._get_images()"/>
                    <div t-attf-class="carousel-item h-100#{' active' if
product_image_first else ''}">
                        <t t-foreach="product_images" t-as="product_image">
                            <p> nom : <t t-esc="product_image.image_1920"/></p>
                        </t>
                    </div>
                </div>

                product_variant.qty_available: <p><t t-
esc="product_variant.qty_available"/></p>
                product.qty_available: <p><t t-esc="product.qty_available"/></p>
                <p>product_line.uom_qty: <t t-set="test" t-attf-
test="product_line.uom_qty"/> <t t-esc="test"/></p>
                <p>product.qty_available: <t t-set="test" t-attf-
test="product_variant.qty_available"/> <t t-esc="test"/></p>
                <p>combination_info: <t t-set="test" t-attf-
test="product_variant.id"/> <t t-esc="test"/></p>
                <p t-if="product.virtual_available==0" class="alert alert-
danger">Cet article n'est plus disponible dans cette taille</p>
                <p t-if="product.allow_out_of_stock_order and
product.virtual_available==0">Expédition: Disponible en 6 à 12 jours</p>
                <p t-if="product.virtual_available>0">Expédition: Disponible en
24h en Belgique</p>
                <!-- tock visible <p><t t-
esc="product_product.stock_quant_ids.inventory_quantity_auto_apply"/></p>-->

                <p t-if="hasQuantities">TADAAAA</p>
                <p>product._get_combination_info(combination, add_qty=add_qty
or 1, pricelist=pricelist) <t t-
esc="product._get_combination_info(combination, add_qty=add_qty or 1,

```

```
pricelist=pricelist)"/></p>
    <p><t t-esc="product._get_combination_info()"/></p>
<p>product.env['product.product'].browse(combination_info['product_id']): <t
t-
esc="product.env['product.product'].browse(combination_info['product_id'])"/
></p>

    <p><t t-esc="product.env['product.product']"/></p>
<p>product_detail: <t t-esc="product_detail"/></p>
<p>combination: <t t-esc="combination"/></p>
<p>combination_info: <t t-esc="combination_info"/></p>

<p>combination: <t t-att="combination"/></p>

    product.virtual_available: <p><t t-
esc="product.virtual_available"/></p>
    product.list_price1: <p><t t-
esc="combination_info['price']"/></p>
    product.list_price2: <span itemprop="price"
style="display:none;" t-esc="combination_info['price']"/>
    product.list_price3: <span t-field="product.list_price" t-
options="{
                &quot;widget&quot;;: &quot;monetary&quot;;,
&quot;display_currency&quot;;: product.currency_id,
                }"/>

    <t t-
foreach="product.valid_product_template_attribute_line_ids" t-as="ptal">
        aaa <t t-esc="ptal.id"/>
    </t>

<t t-if="handle_stock">
    STOCK
</t>

    <t t-set="product_variant2" t-
value="product.env['product.product'].browse(combination_info['product_id'])
"/>

    <p>product_variant2: <t t-esc="product_variant2"/></p>

    <p>website_sale.product_quantity: <t t-
esc="product_quantity"/></p>
<t t-set="prod_obj" t-value="request.env['product.product']"/>

<t t-set="prodtemp" t-value="prod_obj.search([])" />

<t t-foreach="prodtemp" t-as="prod">

<t t-esc="prod.name"/>

</t>

</section>
```

```
</div>  
</xpath>  
</data>
```

From:

<https://wiki.makeitsimple.be/> - makeITsimple wiki

Permanent link:

<https://wiki.makeitsimple.be/doku.php?id=odoo:ecommerce:product-template>

Last update: **2022/07/21 07:44**

