

désinstaller les modules non-officiels fermer le serveur faire un backup

```
su postgres -s /bin/bash
service odoo stop
dpkg -i
python3 /usr/bin/odoo -d klinicare -i web_enterprise --stop-after-init
```

Lancer la commande de maj

```
apt install rsync

su postgres -s /bin/bash
cd /tmp
# Changer test
python3 <(curl -s https://upgrade.odoo.com/upgrade) test -d klinicare -t
16.0 --contract xxxxxx
```

/var/lib/odoo/.local/share/Odoo/filestore/klinicare/

klinicare_test_16.0_2024_09_02_18_10

When performing database restoration via the command line, ensure you have correctly placed the filestore. The database name and filestore name should match to ensure Odoo uses the same filestore rather than generating a new one. The filestore in Odoo is stored in /home/odoo/.local/share/Odoo/filestore (assuming /home/odoo is Odoo's home directory).

```
ALTER DATABASE "klinicare_test_16.0_2024_09_02_18_10" OWNER TO odoo;
```

```
SELECT format(
    'ALTER TABLE public.%I OWNER TO odoo',
    table_name
)
FROM information_schema.tables
WHERE table_schema = 'public'
    AND table_type = 'BASE TABLE' \gexec
```

```
SELECT format(
    'ALTER TABLE public.%I OWNER TO odoo',
    table_name
)
FROM information_schema.tables
WHERE table_schema = 'public'
    AND table_type = 'BASE TABLE' \gexec
```

```
drop sequence base_cache_signaling;
drop sequence base_registry_signaling;
drop sequence base_cache_signaling_default;
drop sequence base_cache_signaling_assets;
drop sequence base_cache_signaling_templates;
```

```
drop sequence base_cache_signaling_routing;
```

From:
<https://wiki.makeitsimple.be/> - makeITsimple wiki

Permanent link:
<https://wiki.makeitsimple.be/doku.php?id=odoo:migration-ce-saas&rev=1726587332>

Last update: **2024/09/17 15:35**

