

# Opnsense - OpenVPN: Client Specific Overrides

Dans les paramètres du serveur VPN: Topology doit être sélectionné

The screenshot shows the Opnsense VPN configuration interface. On the left is a sidebar menu with categories like Lobby, Reporting, System, Interfaces, Firewall, VPN, Services, Power, and Help. The 'VPN' section is expanded to show 'Servers', 'Clients', 'Client Specific Overrides', 'Client Export', 'Connection Status', and 'Log File'. The main content area shows various settings: 'Inter-client communication' (unchecked), 'Duplicate Connections' (unchecked), 'Client Settings' (checked), 'Dynamic IP' (unchecked), 'Address Pool' (checked), 'Topology' (checked and highlighted with a red box), 'DNS Default Domain' (checked), and 'DNS Servers' (checked). Below these are input fields for 'Server #1' through 'Server #4'.

Ainsi que force CSO matching

This screenshot shows a single configuration option: 'Force CSO Login Matching'. It is accompanied by an information icon (i) and a green checkmark icon, indicating that the setting is enabled.

The screenshot displays the 'VPN: OpenVPN: Client Specific Overrides' table. The table has three columns: 'Common Name', 'Tunnel Network', and 'Description'. There are two entries, both with a green play button icon in the 'Common Name' column. The descriptions for both entries are 'Accès privilégié donnant accès à tout le réseau'.

Common Name	Tunnel Network	Description
	10.88.0.241/24	Accès privilégié donnant accès à tout le réseau
	10.88.0.242/24	Accès privilégié donnant accès à tout le réseau

From: <https://wiki.makeitsimple.be/> - makeITsimple wiki

Permanent link: <https://wiki.makeitsimple.be/doku.php?id=reseau:opnsense:openvpn-specific&rev=1638016529>

Last update: 2021/11/27 12:35

