


Microsoft Edge: Autoriser les connexions locales non sécurisées

Version 2025

Local insecure



Config

1. Dans l'adresse: taper "Edge://flags/"

 Indicateurs de recherche

Reset all

Expériences		103.0.1264.62
WARNING: EXPERIMENTAL FEATURES AHEAD! By enabling these features, you could lose browser data or compromise your security or privacy. Enabled features apply to all users of this browser. If you are an enterprise admin you should not be using these flags in production.		
Disponible		Non disponible
● Allow invalid certificates for resources loaded from localhost.		
Allows requests to localhost over HTTPS even when an invalid certificate is presented. – Mac, Windows, Linux, Android		Activé
#allow-insecure-localhost		
● Block insecure private network requests.		
Prevents non-secure contexts from making subresource requests to more-private IP addresses. – Mac, Windows, Linux, Android		Disabled
#block-insecure-private-network-requests		
Temporarily unexpire M101 flags.		
Temporarily unexpire flags that expired as of M101. These flags will be removed soon. – Mac, Windows, Linux, Android		Default
#temporary-unexpire-flags-m101		
Temporarily unexpire M102 flags.		
Temporarily unexpire flags that expired as of M102. These flags will be removed soon. – Mac, Windows, Linux, Android		Default
#temporary-unexpire-flags-m102		
Override software rendering list		
Overrides the built-in software rendering list and enables GPU-acceleration on unsupported		Désactivé

Ceci est peut-être valable sur Chrome

Retirer les avertissements de sécurité pour les indicateurs de ligne de commande

Pour Windows 10 Pro

<https://admx.help/?Category=EdgeChromium&Policy=Microsoft.Policies.Edge::CommandLineFlagSecurityWarningsEnabled&Language=fr-fr>

From:

<https://wiki.makeitsimple.be/> - **makeITsimple wiki**

Permanent link:

<https://wiki.makeitsimple.be/doku.php?id=windows:edge:insecure>

Last update: **2025/12/06 09:28**

